



Creative Digital Signage Solution



A wide range of Interactive Kiosk Solutions developed and fabricated in Mixed Medium and are handcrafted for ethnic look and feel. The signage and its stands come with individual customised Logo for Branding Purpose. The colour and look are also customised for a wide range of application as per requirements.

Floor Mount Digital Display | Wall Mount Digital Display | Table Top Android Display | Interactive Kiosk | Bar-Type Display | Decorative Display | Touch Panels Double Side Android Glass Kiosk | LED Wall | LCD & LED Controller | Industrial PC Cloud Management Applications | Customised App Development | IoT Applications

capitalinfoart[®]
www.capitalsignage.com

Floor Mount KIOSK SOLUTIONS



Model No: S01-PM
21.5 inch | 24 inch | 27 inch



Model No: M13 | L13-PS
24 inch | 27 inch | 32 inch



Model No: S10 | M10-PASM
14.5 inch | 17.5 inch | 21.5 inch



Model No: L02-CPM
27 inch | 32 inch | 43 inch



Model No: M05 | L05-PMA
27 inch | 32 inch | 43 inch



Model No: L14-PSM
27 inch | 32 inch | 43 inch

Floor Mount KIOSK SOLUTIONS

Featured with

- Panel type :** IPS
- Resolution :** 1920 x 1080 (FHD) | 3840 x 2160 (4K)
- View Angle :** 178°
- Interactive :** Touch / Non Touch (Optional)
- Contrast Ratio :** 1000:1 | 5000:1
- Brightness :** 350 cd/m² | 500 cd/m²
- Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
- OS System :** Android | Windows
- Memory :** 2 GB | 4 GB
- Capacity :** 16 GB | 64 GB
- Connectivity :** WiFi, LAN, Bluetooth, 4G
- I/O Ports :** USB, SD card Slot, HDMI
- Audio :** Stereo Speakers
- Installation :** Indoor
- Software :** Cloud management (WAN Version), Standalone (LAN Version), USB Solution, Multi-Split Screen Display




Model No: K43-FL02-GMS




Model No: ST-43-GMS

Available in Android | Windows | Linux OS
Available Screen Size (Inches) : 32 | 40 | 43 | 50 | 55 | 65

Application Sectors : Retail | Healthcare | Educational Institutions
Hotels & Restaurants | Financial Institutions | Entertainment Zone
Corporate Area | Shopping Malls | Reception Area | Lounge Area



Hanging & Glass Mount DISPLAY SOLUTIONS



- Featured with**
- Panel type :** IPS
 - Resolution :** 1920 x 1080 (FHD) | 3840 x 2160 (4K)
 - View Angle :** 178°
 - Interactive :** Touch / Non Touch (Optional)
 - Contrast Ratio :** 1000:1 | 5000:1
 - Brightness :** 350 cd/m² | 500 cd/m²
 - Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
 - OS System :** Android
 - Memory :** 2 GB | 4 GB
 - Capacity :** 16 GB | 64 GB
 - Connectivity :** WiFi, LAN, Bluetooth, 4G
 - I/O Ports :** USB, HDMI, LAN
 - Audio :** Stereo Speakers
 - Installation :** Indoor & Semi Outdoor
 - Software :** Cloud management (WAN Version), Standalone (LAN Version), Multi-Split Screen Display



Post Signage (Semi-outdoor)
Model No: HO1-55MS
Available Screen Size (Inches) : 43 | 50 | 55 | 65
Application Sectors : Retail | Healthcare | Educational Institutions
 Hotels & Restaurants | Roof Top | Lobby Area | Entertainment Zone
 Corporate | Shopping Malls | Reception Area | Lounge Area

Single Side Hanging Glass Display (Indoor)
Model No: GHK-02-43-55-GMS
Available Screen Size (Inches) : 43 | 55
Application Sectors : Retail | Healthcare | Hotels & Restaurants
 Commercial Institutions | Government & Corporate Houses
 Shopping Malls | Reception Area

Floor Mount KIOSK SOLUTIONS



Double - Sided Android Glass Kiosk
Model No: K-43-55-FMG-01
Available Screen Size (Inches) : 43 | 55

Self-Service-Kiosk
Model No: SK-17-27-CPM
Available Screen Size (Inches) : 17 | 21 | 27

Outdoor Digital Kiosk
Model No: K-55-65-MSO-01
Available Screen Size (Inches) : 55 | 65

Table Mount


ANDROID DISPLAY

Featured with

- Panel type :** IPS
- Resolution :** 1920 x 1080
- View Angle :** 178°
- Interactive :** 10 Point Capacitive Touch
- Contrast Ratio :** 800:1
- Brightness :** 250 cd/m²
- Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
- OS System :** Android
- Memory :** 2 GB
- Capacity :** 16 GB
- Camera :** 2MP (Optional)
- Connectivity :** WiFi, LAN, Bluetooth
- I/O Ports :** USB, SD card Slot
- Audio :** 2 x 2 W Stereo Speaker
- Installation :** Table top (Portrait & Landscape)
- Software :** Cloud management (WAN Version), Multi-Split Screen Display, USB Solution



Model No: TP-02-1417-AF



Available Screen Size (Inches) : 10.1 | 14.5 | 17.5


Application Sectors : Retail | Healthcare | Hotels & Restaurants
Commercial Institutions | Government & Corporate Houses
Shopping Malls | Reception Area

Wall Mount

ANDROID DISPLAY



Model No: WM-04-215-32-01



Featured with

- Panel type :** IPS
- Resolution :** 1920 x 1080 (FHD) | 3840 x 2160 (4K)
- View Angle :** 178°
- Interactive :** Capacitive Touch | Non Touch (Optional)
- Contrast Ratio :** 1000:1 | 5000:1
- Brightness :** 300 cd/m² | 500 cd/m²
- Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
- OS System :** Android
- Memory :** 2 GB | 4 GB (Optional)
- Capacity :** 16 GB | 32 GB (Optional)
- Connectivity :** WiFi, LAN, Bluetooth, 4G
- I/O Ports :** USB, SD card Slot, **HDMI OUT**, HDMI IN (Optional)
- Audio :** 2 x 3 W Stereo Speakers
- Installation :** Indoor, Wall-Mounted, Horizontal & Vertical
- Software :** Cloud management (WAN Version), Standalone (LAN Version), USB Solution, Multi-Split Screen Display

Customizable Functions

Gravity Sensor, GPS, Camera, Motion Sensor, RFID, QR Scanner

Available Screen Size (Inches) : 21.5 | 24 | 27 | 32 | 43 | 55 | 65

Application Sectors : Retail | Healthcare | Hotels & Restaurants
Commercial Institutions | Government & Corporate Houses
Shopping Malls | Reception Area


Bar-Type & Wall Mount ANDROID DISPLAY

Featured with

- Panel type :** IPS
- Resolution :** 1920 x 360 | 1920 x 540
- View Angle :** 178°
- Interactive :** Non Touch
- Contrast Ratio :** 1200:1 | 4000:1
- Brightness :** 700 cd/m²
- Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
- OS System :** Android
- Memory :** 2 GB | 4 GB
- Capacity :** 8 GB | 16 GB
- Connectivity :** WiFi, LAN, Bluetooth, 4G (Optional)
- I/O Ports :** USB, SD card Slot, 3.5 mm Audio OUT | HDMI | LAN
- Installation :** Indoor & Semi Outdoor
- Software :** Cloud management (WAN Version), Multi-Split Screen Display



Model No: SB-03-28GMS



Available Screen Size (Inches) : 19 | 24 | 28 | 37

Application Sectors : Transport Terminals | Exhibition Centre
Museums | Gallery | Government & Corporate House
Parking Area | Sports Complex | Subway


Touch Monitor ANDROID DISPLAY

Featured with

- Panel type :** Full HD Panel
- Resolution :** 1920 x 1080 (FHD) | 3840 x 2160 (4K)
- View Angle :** 178°
- Interactive :** 10 Point Capacitive Touch
- Contrast Ratio :** 1000:1 | 1200:1
- Brightness :** 300 cd/m² | 400 cd/m²
- Controller :** MSTV59 TV
- I/O Ports :** USB, SD card Slot, HDMI IN
- Audio :** Stereo Speaker, 3.5mm Audio out
- Installation :** Indoor, Wall-Mounted, Desktop PC, Workstation, Server, Interactive System



Model No: TM-04-215-43



Support : All Operating System










Available Screen Size (Inches) : 21.5 | 24 | 27 | 32 | 43

Application Sectors : Industrial Application | Kiosk | Food Court
Lobby | Interactive & Self-service Zones

Indoor LED LED WALL




PIXEL PITCH (MM)	2	2.5	3	4
Module Size (mm)	320 x 160	320 x 160	192 x 192	320 x 160
LED Lamp	SMD1515	SMD1515	SMD2727	SMD1921
Cabinets Size (mm)	640 x 640	640 x 640	576 x 576	640 x 640
Cabinets Resolution	320 x 320	256 x 256	192 x 192	160 x 160
Best Viewing Range (mtr)	>2	>2.5	>3	>4
Average Power Consumption	<360 w/m ²	<550 w/m ²	<550 w/m ²	<450 w/m ²










- 
Small and Light
- 
Good heat radiating
- 
Low power consumption
- 
Centralized Control Management
- 
Pixel
- 
Brightness
- 
Camera
- 
USB
- 
LAN

Application Sectors : Corporate Lounge | Exhibition Centre
Museums | Gallery | Transport Terminals | Food Court
Shopping Complex | Government Departments | Hospitals
Educational Institutions

Outdoor LED LED WALL




PIXEL PITCH (MM)	4	4.8	5	6
Module Size (mm)	320 x 160	288 x 288	320 x 160	192 x 192
LED Lamp	SMD1921	SMD2121	SMD2121	SMD3535
Cabinets Size (mm)	640 x 640	576 x 576	640 x 640	576 x 576
Cabinets Resolution	160 x 160	120 x 120	128 x 128	96 x 96
Best Viewing Range (mtr)	>4	>4.5	>5	>6
Outdoor Protection	IP65	IP65	IP65	IP65

- 
Small and Light
- 
Good heat radiating
- 
Low power consumption
- 
Centralized Control Management
- 
Pixel
- 
Brightness
- 
IP 65
- 
USB
- 
LAN

Application Sectors : Vehicle LED | Corporate Lounge
Exhibition Centre | Museums | Gallery | Transport Terminals
Shopping Complex | Food Court | Government Departments
Educational Institutions | Hospitals


Curved LED LED WALL

PIXEL PITCH (MM)	2	2.5	3	4
Module Size (mm)	320 x 160	320 x 160	192 x 192	320 x 160
LED Lamp	SMD1515	SMD1515	SMD2727	SMD1921
Cabinets Size (mm)	640 x 640	640 x 640	576 x 576	640 x 640
Cabinets Resolution	320 x 320	256 x 256	192 x 192	160 x 160
Best Viewing Range (mtr)	>2	>2.5	>3	>4
Curve (Concave & Convex) Min. Radius	0.95m	0.95m	0.95m	0.95m




Application Sectors : Corporate Lounge | Exhibition Centre
Museums | Gallery | Transport Terminals | Food Court
Shopping Complex | Government Departments
Hospitals | Educational Institutions

LED Software TOPOLOGY



LCD Software TOPOLOGY




www.capitalinfoart.com | www.capitalsignage.com

Outdoor EV Charging KIOSK SOLUTIONS


HIGH BRIGHTNESS DOUBLE SIDE / SINGLE SIDE DISPLAY

Key Features :


- Plug and charge
- Card Swipe system
- UPI / QR Code / Debit-Credit Card payment
- Advertisement Display screen
- Single gun (7KW)
- Double gun (14KW)



Application Sectors : Large, medium and small charging stations
Urban residential area | The Shopping Plaza | Charging stations
in high-speed service areas | Outdoor activity center
Public parking lots | Residential parking lot



Model No: EVK-01-55-GMS



Premium Signage DISPLAY SOLUTIONS



Glass Digital Photo Frame (Indoor)

Model No: GPM-03-24-43

Available Screen Size (Inches) : 24 | 32 | 43



Wooden Digital Photo Frame (Indoor)

Model No: DPM-01-215-32

Available Screen Size (Inches) : 21 | 27 | 32

Featured with

Panel type : IPS

Resolution : 1920 x 1080 (FHD) | 3840 x 2160 (4K)

View Angle : 178°

Interactive : Capacitive Touch | Non Touch (Optional)

Contrast Ratio : 1000:1 | 5000:1

Brightness : 350 cd/m² | 500 cd/m²

Video : Support all Video format

Photo : Support all Photo format

OS System : Android

Memory : 2 GB | 4 GB (Optional)

Capacity : 16 GB | 32 GB (Optional)

Connectivity : WiFi, LAN, Bluetooth, 4G

I/O Ports : USB, SD card Slot, HDMI

Audio : Stereo Speaker (Optional)

Special Feature : Tempered Glass Protection (NT)

Installation : Indoor, Wall-Mounted

Software : Cloud management (WAN Version),
Standalone (LAN Version), USB Solution

Application Sectors : Reception Area | Gallery | Museums
Lounge Area | Corporate Lobby | Cafeteria | Showrooms
Multiplexes

Network Partner :

Kolkata | Delhi | Bhubaneswar
Agartala | Varanasi

For further correspondence # +91 97761 98155 +91 94330 01288 | mail@capitalinfoart.com
Corporate Office : 11/B, Chowringhee Terrace, Gokhale Road, Kolkata - 700 020 | INDIA
Corporate Experience Centre : 10, Chowringhee Terrace, Bhowanipore, Kolkata - 700 020 | INDIA
Software Division : Martin Burn Business Park, 6th Floor, Room # 606 Sector V, Kolkata - 700 091 | INDIA
Factory : G1-10/ New Belwedanga Road, Behala, Shibarampur, Kolkata - 700 141 | INDIA

www.capitalinfoart.com | www.capitalsignage.com