

TABLE TOP ANDROID DISPLAY

With a wide range of Interactive Kiosk Solutions developed and fabricated by the expert designers of **Capital Infoart** in Mixed Medium are fully handcrafted for ethnic look and feel. This table top mini digital signage is an exclusive product and caters all your need for receptions, lounge area, Front Desk, Retail and Hotel outlets. These devices are made in Landscape and portrait mode also.

Key Features

- **Open Android 10** and above
- **Signage** and **Third Party** Applications
- Content Management System by **LAN**
- Content Management System by **Cloud**
- **U-Disk/USB** Playback System
- Built-in **Audio**
- **Battery** and **POE** port (Optional)
- Vertical / Horizontal **split screen** available



Application Area

Retail | Healthcare | Educational Institutions
Hotels & Restaurants | Financial Institutions
Entertainment Zone | Corporate Area
Shopping Malls | Reception and Lounge Area

Sizes Available

10.1 | 13.3 | 15.6

TABLE TOP ANDROID DISPLAY

Display Panel Specifications

Variable	10.1" [TP-03-1010-AF]	13.3" [TP-03-1330-AF]	15.6" [TP-03-1560-AF]
Panel Size	10.1 inch	13.3 inch	15.6 inch
Panel Type	TFT LCD	TFT LCD	TFT LCD
Resolution	1080 x 1920	1080 x 1920	1920 x 1080
Contrast Ratio	600 : 1	700 : 1	800 : 1
Viewing Angle	R/L 85/85, U/D 85/85	R/L 85/85, U/D 85/85	R/L 85/85, U/D 85/85
Luminance	250 nits	250 nits	250 nits
Aspect Ratio	9 : 16	9 : 16	16 : 9
Display colors	16.7 M (8 bits - true) colors	16.7 M (8 bits - true) colors	1.07 G (8 bits - FRC)
Display mode	Transmission mode, Normally Black	Transmission mode, Normally Black	Transmission mode, Normally Black
Active area (W x H) (mm)	149.05 x 228.3	174.0 x 309.3	345.24 x 194.68
Operating Temperature	0 °C - +50 °C	0 °C - +50 °C	0 °C - +50 °C
Storage Temperature	-20 °C - +60 °C	-20 °C - +60 °C	-20 °C - +60 °C
Operating Ambient Humidity	10%RH - 80%RH	10%RH - 80%RH	10%RH - 80%RH
Storage Humidity	10%RH - 80%RH	10%RH - 80%RH	10%RH - 80%RH

Electrical & Physical Specifications

Electrical & Physical specification		10.1"	13.3"	15.6"
Input Power Supply	220 V - 240 V 1 Ph. 50 Hz	Dimensions (W x D x H) 170 x 20 x 245 (mm)	209.32 x 27.6 x 336.22 (mm)	389.16 x 27.6 x 242.92 (mm)
Operating Voltage	12 V / 3 V DC	Base (W x D x H) (mm)	- (mm)	- (mm)
Standby	0.5 W	Gross Weight	1.2 kg	1.3 kg
		Cabinet Material	MS	MS

TABLE TOP ANDROID DISPLAY

Hardware Specifications

CPU	RK 1.8 Ghz & above 64 bit high performance CPU
GPU	Mail-G55/T864/T764 (Optional) high performance GPU
Memory	Default 2 GB 4 GB (Optional)
Build-in storage capacity	Default 16 GB 32 GB
Network	Adaptive 10/100 mbps 100/1000 mbps Ethernet
Wifi	Support 2.4G / 5G Wi-Fi, support Wi-Fi 802.11b/g/n protocols
Image rotation	Support manual rotation of 0 degree, 90 degree, 180 degree, 270 degree
Display	TFT LCD Professional Signage Panel (Industrial Grade) 16.7M colours 8-bit colour depth 178 degree viewing angle 24 x 7 operation support Ultra slim metal body
HDMI	HDMI (Out) / HDMI (In) optional
Audio	3W x 2 speaker 3.5 mm output
Power amplifier	2 outputs (8 ohms, 10 watts dual audio amplifier output)
Microphone	Differential MIC input
Touch screen (Optional)	Support USB multi-point infrared touch, multi-point capacitive touch, multi-point nano film touch, multi-point acoustic wave touch, multi-point optical touch and more.
POE	Optional
USB	2 x USB (USB 3.0)
Infrared	Support infrared remote control function
LED	1* power status LED (green), 1* system LED (green / blue blinking in default)
Bluetooth	Support 4.2 bluetooth
I/O	Support 5 IO input and output control, can be used as key scanning control
Serial port	30 pin FPC interface, Largest support 1300 w Camera
Power Adapter	Input : AC 100-240 V 50-60 HZ, Output : DC 12 V 1.5 A (Requires surge voltage less than 18 V and ripple voltage less than 100 mV)


TABLE TOP ANDROID DISPLAY

Software specifications

Operating system	Android 10.0 & above
Audio	Mp3, WMA, WAV, APE, FLAC, AAC, OGG, M4A, 3GPP and other formats
Video	Support AVI, rm, rmvb, MKV, WMV, MOV, MP4, DAT, PMP, MPEG, MPG, FLV, ASF, TS, TP, 3GP, MPG and other formats
Image	Support various image formats such as JPG, BMP, PNG
System comes with application software	APK Installer, Email, Calculator, Browser, Recorder, Calendar, Settings, Clock, Video Player, Search, Contacts, Gallery, Download, Camera, Music, Explorer, etc.
Language	English / Hindi / Bengali (Support Multi-Language)
Input method	Standard Android Keyboard with optional third-party input method
System Management	Original ecological Android system, open root permissions, and can customize product development Real-time remote monitoring, system crash self-recovery, unattended 7 x 24 hours Support OTA remote upgrade; support U disk upgrade Support server / stand-alone mode switching Support WI-Fi hotspot
System watchdog	Support software watchdog

Available sizes 10.1 | 13.3 | 15.6 inch

Other Floor Mount Standee



Floor Mount Glass Kiosk



Interactive Service Kiosk



Floor Mount Digital Kiosk

We are also available @

Delhi | Ghaziabad | Varanasi | Malda
Siliguri | Bankura | Bhubaneshwar

Follow us on    

@PremiumGlassignage

For further correspondence # +91 97761 98155 +91 94330 01288 | mail@capitalinfoart.com
Kolkata Corporate Office : 11/B, Chowringhee Terrace, Gokhale Road, Kolkata - 700 020 | INDIA
Kolkata Corporate Experience Centre : 10, Chowringhee Terrace, Bhowanipore, Kolkata - 700 020 | INDIA
Kolkata Workshop : 51A, Rashbehari Avenue, Kolkata - 700 026 | INDIA
Kolkata Factory : G1-10/ New Belwedanga Road, Behala, Shibarampur, Kolkata - 700 141 | INDIA
U.P. Office : 5A-70 Cloud 9 Tower, Vaishali, Sector 1, Ghaziabad, Uttar Pradesh - 201010 | #+91 9161006555 | INDIA
Maldah Experience Centre & Office : Jyoti Complex, Rabindra Avenue, Malda 732101, West Bengal | INDIA