

CREATIVE **DIGITAL DISPLAY** SOLUTIONS



Android Digital Signage | Wall Mount Digital Signage | Interactive Kiosk
Bar-Type Signage | Interactive Digital Monitor | Interactive White Board
Table Top Android Signage | Double Side Android Glass Kiosk | LED Wall
LED Controller | Industrial PC | Cloud Management Application

Table Top ANDROID SIGNAGE




Features

- Panel type :** IPS
- Resolution :** 1920 x 1080
- View Angle :** 80°
- Interactive :** 10 Point Capacitive Touch
- Contrast Ratio :** 1000:1
- Brightness :** 250 cd/m²
- Video Format :** MPEG, H.263, H.264, VC1, RV up to 4K
- OS System :** Android
- Memory :** 2 GB
- Capacity :** 16 GB
- Connectivity :** WiFi, LAN, Bluetooth
- I/O Ports :** USB, SD card Slot, **HDMI OUT**, HDMI IN (Optional)
- Audio :** 2 x 2 W Stereo Speaker
- Installation :** Table top
- Software :** Cloud management (WAN Version), Standalone (LAN Version), Multi-Split Screen Display



Available Screen Size (Inches) : 14.5 | 17.5 | 21.5


Application Sectors : **Retail | Healthcare | Hotels & Restaurants | Commercial Institutions | Government & Corporate Houses | Shopping Malls | Reception Area**



Wall Mount Interactive ANDROID SIGNAGE



Available Screen Size (Inches) : 14.5 | 15.6 | 17.3 | 21.5 | 24 | 27 | 32 | 43 | 55



For any queries, please visit : www.capitalsignage.com

Features

- Panel type :** IPS
- Resolution :** 1920 x 1080 | 3840 x 2160 (4K)
- View Angle :** 178°
- Interactive :** 10 Point Capacitive Touch / Non Touch (Optional)
- Contrast Ratio :** 1000:1 | 3000:1 | 5000:1
- Brightness :** 300 cd/m² | 400 cd/m² | 450 cd/m² | 500 cd/m²
- Video Format :** MPEG-1, MPEG-2, MPEG-4, H.264, H.265, FLV
- OS System :** Android | Windows (Optional)
- Memory :** 2 GB | 4 GB (Optional)
- Capacity :** 16 GB | 32 GB (Optional)
- Connectivity :** WiFi, LAN, Bluetooth, 4G
- I/O Ports :** USB, SD card Slot, **HDMI OUT**, HDMI IN (Optional)
- Audio :** 2 x 3W Stereo Speaker
- Installation :** Indoor, Wall-Mounted, Horizontal and Vertical
- Software :** Cloud management (WAN Version), Standalone (LAN Version), Multi-Split Screen Display

Customizable Functions

Gravity Sensor, GPS, Camera, Motion Sensor, RFID

Application Sectors : **Retail | Healthcare | Hotels & Restaurants | Commercial Institutions | Government & Corporate Houses | Shopping Malls | Reception Area**

Floor Mount Android

INTERACTIVE KIOSK




Features

- Panel type :** IPS
- Resolution :** 1920 x 1080
- View Angle :** 178°
- Interactive :** Touch / Non Touch (Optional)
- Contrast Ratio :** 4500:1 | 3000:1
- Brightness :** 350 cd/m²
- Video Format :** WMV, AVI, FLV, RM, RMVB, MPEG, TS, Mp4
- OS System :** Android | Windows
- Memory :** 4 GB | 8 GB
- Capacity :** 64 GB | 128 GB
- Connectivity :** WiFi, LAN, Bluetooth, 4G
- I/O Ports :** USB, SD card Slot, HDMI IN
- Audio :** 2 x 5W Stereo Speaker
- Installation :** Indoor, Outdoor, Vertical Floor Mounted
- Software :** Cloud management (WAN Version), Standalone (LAN Version), Multi-Split Screen Display

Also available in Windows versions

Available Screen Size (Inches) : 43 | 49 | 55 | 65

Application Sectors : Retail | Healthcare | Lounge Area
Education | Hotels & Restaurants | Financial Institutions
Entertainment | Corporate | Shopping Malls | Reception Area



Double -Sided Android Glass Kiosk



Way Finding Interactive Kiosk



Outdoor Digital Kiosk

Bar-Type Industrial ANDROID DIGITAL SIGNAGE




Features

- Panel type :** IPS
- Resolution :** 1920 x 360 | 1920 x 540 [Supports 4K]
- View Angle :** 178°
- Interactive :** Non Touch
- Contrast Ratio :** 1200:1 | 4000:1
- Brightness :** 250 | 300 | 700 cd/m²
- Video Format :** MPEG-1, MPEG-2, MPEG-4, H.264, H.265
- OS System :** Android
- Memory :** 2GB | 1 GB | 2 GB | 2GB
- Capacity :** 16GB | 8GB | 16 GB | 16GB
- Connectivity :** WIFI, LAN, Blue tooth, 4G
- I/O Ports :** USB | SD card Slot | 3.5 mm Audio OUT | HDMI OUT
- Installation :** Indoor, Wall-Mounted, Horizontal and Vertical
- Software :** Cloud management (WAN Version), Standalone (LAN Version), Multi-Split Screen Display



Available Screen Size (Inches) : 19 | 21 | 24 | 28 | 37

Application Sectors : **Transport Terminals | Exhibition Centre | Museums | Gallery Government & Corporate Houses | Parking Area | Sports Complex | Subway**



Interactive Touch MONITOR




Features

- Panel type :** Full HD Panel
- Resolution :** 1920 x 1080
- View Angle :** 178°
- Interactive :** 10 Point Capacitive Touch
- Contrast Ratio :** 1000:1
- Brightness :** 300 cd/m²
- Video Format :** MPEG-1, MPEG-2, MPEG-4, H.264, H.265
- Controller :** MSTV59 TV
- I/O Ports :** USB, SD card Slot, HDMI IN
- Audio :** 2 x 3W Stereo Speaker | 2 x 5W Stereo Speaker
- Installation :** Indoor, Wall Mounted, Desktop PC, Workstation, Server, Interactive System

Support : All Operating System

Available Screen Size (Inches) : 21.5 | 24 | 32 | 43




Application Sectors : **Industrial Application | Exhibition Centre | Museums | Gallery Service Kiosk | Interactive & Self-service zones | Food Court | Lobby**

Interactive Android WHITEBOARD



**All in one: Computer, Whiteboard, Projector,
TV, Speaker, Screen, in one equipment.**



**Intelligent
Whiteboard**


**Shared Screen
Solutions**

**Remote
Conference**

Presentations

Features

- Panel type :** TFT LCD Panel
- Resolution :** 4096 x 4096 (4K)
- View Angle :** 178°
- Interactive :** 10 Point Infrared Touch
- Contrast Ratio :** 1200:1
- Brightness :** 500 cd/m²
- Video Format :** MPEG-1, MPEG-2, MPEG-4, H.264, H.265
- OS System :** Android & Windows (Both)
- Processor :** Core i3 | i5 (Optional)
- Memory :** 2 GB
- Capacity :** 32 GB
- Connectivity :** WiFi, LAN, Bluetooth, 4G
- I/O Ports :** USB, SD card Slot, **HDMI IN & HDMI OUT**
- Audio :** 2 x 5W Stereo Speaker
- Installation :** Indoor, Wall-Mounted, Floor Mounted, Horizontal
- Interactive Software included**



Customizable Functions

Multi-Screen Interaction: Mobile phone to display content on screen
Video Conferencing


Available in Windows-Android versions
Available Screen Size (Inches) : 43 | 55 | 65 | 75 | 86

Application Sectors : **Educational Institutions | University | Conference Room
Corporate & Government Meeting Room | Exhibition Centre**

Indoor LED VIDEO WALL



PIXEL PITCH (MM)	1.87	1.5	2	2.5	3	3.9	4	4.81
Module Size (mm)	240x120	200 x 100	320x160	320x160	192 x 192	250 x 250	288 x 288	192 x 192
LED Lamp	SMD1515	SMD1010	SMD1010	SMD2121	SMD2121	SMD2121	SMD1921	SMD2727
Pixel density dot/mtr ²	284266	409600	250000	160000	111111	65536	62500	43402
Caninets Size (mm)	480x480	400 X 300	640x640	640 X 640	576 X 576	500x500	640 X 640	576 X 576
Caninets Resolution	512x512	256 X 192	256x256	256 x256	192 x 192	128 x 256	256 x256	288X 288
Best Viewing Range (mtr)	1.87-15	2-15	2-15	2-50	3-50	> 4	> 4	> 4
Average Power Consumption	< 233 w/m ²	< 233 w/m ²	< 360 w/m ²	< 550 w/m ²	< 550 w/m ²	< 450 w/m ²	< 450 w/m ²	< 450 w/m ²




Application Sectors : **Corporate Lounge | Exhibition Centre | Museums | Gallery | Transport Terminals Shopping Complex | Food Court | Government Department**

Outdoor LED VIDEO WALL



PIXEL PITCH (MM)	2.5	3	3.91	4	4.81	5	6	8	10	16
Module Size (mm)	160x160	320 x 160	250x250	320x160	288X288	320 x160	192x192	128x256	320x160	256x256
LED Lamp	SMD2121	SMD2121	SMD1921	SMD1921	SMD2121	SMD2727	SMD3535	SMD3535	SMD2727	SMD3535
Pixel density dot/mtr ²	65536	111111	65536	62500	43402	40000	27777	15625	62500	3906
Caninets Size (mm)	640x640	640 X 640	500x500	640x640	576X576	640X640	576X576	768x768	960X960	1024x1024
Caninets Resolution	256x256	376X196	2128X128	192X192	192 x 192	256X128	96X96	192x192	96X96	60x60
Best Viewing Range	2.5-50 (mtr)	3-50 (mtr)	> 4 (mtr)	>4-50 (mtr)	> 4 (mtr)	5-50 (mtr)	6-50 (mtr)	8-50 (mtr)	> 10 (mtr)	> 16 (mtr)
Outdoor Protection	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65



Application Sectors : **Corporate Lounge | Exhibition Centre | Museums | Gallery Transport Terminals Shopping Complex | Food Court | Government Department**

INDUSTRIAL FANLESS PC

Suitable for harsh industrial environment applications

Box PC



Features :

- Intel® Celeron (Quad Core J1900) | i3 / i5 / i7 (6th / 7th Gen) (Opt)
- 5 x USB2.0 + 1 x USB 3.0 | 2 x USB2.0 + 4 x USB 3.0
- 6 x RS232 / 1 x VGA / 1 x HDMI | 1 x RS232 / RS485 / RS422 (Opt)
- 2 x Intel i211 GbE LAN
- 1 x Audio (Line-out, MIC-in)

Acute Angle PC



Features :

- Onboard Intel i3 / i5 / i7
- SSD HDD
- 3.5mm Audio out
- 1 x USB 3.0 + 2 x USB 2.0
- 1 x HDMI
- 2 x Intel i211 GbE RJ45

Panel PC



Features :

- Onboard Intel® Celeron (Quad Core)
- 8" TFT LED screen
- 5-wire Resistive touch / Capacitive Touch screen (Optional)
- 1 x USB 3.0 + 3 x USB 2.0 + 1 x HDMI
- 4 x RS 232
- 2 x Intel i211 GbE RJ45

Features :

- Onboard Intel® Celeron (Quad Core) / i3 / i5 / i7 (6th/7th Gen)(Opt)
- 9.7" TFT LED screen
- 5-wire Resistive touch screen
- All IO in one cable design EMC
- Widely used for vehicle or other mobile outdoor environment
- 4 x USB, 3 x RS232 + 2 x RS 485, 2 x LAN
- Full-sealed fanless and ultra slim design


Handheld Tablet PC



Features :

- 10.1" Multi-touch capacitive touch screen
- Chipset : Intel Celeron (Quad Core) N2940 CPU, up to 2.16Ghz
- Provide WiFi and BT (Standard)
- Onboard 4GB DDR3 Ram (Standard)
- Battery : 7.4V 5300mAh, work for 8 hours
- Optional : GPS / NFC / RFID / 2D optional
- Fanless & wireless High-strength and elegant
- Al-alloy panel

Available in Windows & Linux versions



Application Sectors : **Industrial Automation | Energy Oil & Gas | Telecommunication Transport Vehicles Healthcare | Security Zone | IoT Applications**

For Channel Partner Network contact us at :
mail@capitalinfoart.com

For further correspondence # +91 97761 98155 | +91 74395 96840 | +91 9433001288 | mail@capitalinfoart.com
Corporate Office : 11/B, Chowringhee Terrace, (Gokhale Road) Kolkata 700 020 | India
Corporate Experience Centre : 10, Chowringhee Terrace, Bhowanipore, Kolkata 700 020 | India
Saltlake Experience Centre : Martin Burn Business Park, 6th Floor, Room # 606, Sector V, Kolkata - 700 091 | India
Factory : G-10, New Beledanga Road, Behala Shibarampur, Kolkata 700 131 | India