



Creative Digital Signage Solution



Enjoy seamless **Cloud Network**
for every single device with **FREE**
Content Management Software

Floor Mount Digital Display | Wall Mount Digital Display | Table Top Android Display | Interactive Kiosk | Bar-Type Display | Decorative Display | Touch Panels Double Side Android Glass Kiosk | LED Wall | LCD & LED Controller | Industrial PC Cloud Management Applications | Customised App Development | IoT Applications

capitalinfoart[®]
www.capitalsignage.com

Floor Mount Touch KIOSK SOLUTIONS



Model No: **CIA-320T-FMW**
21.5 inch | 24 inch | 32 inch



Model No: **CIA-270T-FMW**
21.5 inch | 24 inch | 32 inch



Model No: **CIA-175T-FMM**
13.3 inch | 17.5 inch | 21.5 inch



Model No: **CIA-431T-FMK**
27 inch | 32 inch | 43 inch



Model No: **CIA-320T-FMML**
27 inch | 32 inch | 43 inch




Model No: **CIA-270T-FMML**
27 inch | 32 inch | 43 inch

Floor Mount KIOSK SOLUTIONS

Featured with

- Panel type :** IPS
- Resolution :** 1920 x 1080 (FHD) | 3840 x 2160 (4K) / 8K (Optional)
- View Angle :** 178°
- Interactive :** Touch / Non Touch (Optional)
- Contrast Ratio :** 1000:1 | 5000:1
- Brightness :** 450 cd/m² | 500 cd/m²
- Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
- OS System :** Android | Windows
- Memory :** 2 GB | 4 GB (Optional)
- Capacity :** 32 GB | 64 GB (Optional)
- Connectivity :** WiFi, LAN, Bluetooth, 4G / 5G
- I/O Ports :** USB, SD card Slot, HDMI
- Audio :** Stereo Speakers
- Installation :** Indoor
- Software :** Cloud management (WAN Version), Standalone (LAN Version), USB Solution, Multi-Split Screen Display



Model No: **CIA-550NT-T-FMM**




Model No: **CIA-431NT-T-FMM**



Model No: **CIA-431NT-A-FMM**

Available in Android | Windows | Linux OS
Available Screen Size (Inches) : 32 | 43 | 55 | 65

Application Sectors : Retail | Healthcare | Educational Institutions
Hotels & Restaurants | Financial Institutions | Entertainment Zone
Corporate Area | Shopping Malls | Reception Area | Lounge Area



Hanging & Glass Mount DISPLAY SOLUTIONS



Featured with

- Panel type :** IPS
- Resolution :** 1920 x 1080 (FHD) | 3840 x 2160 (4K) / 8K (Optional)
- View Angle :** 178°
- Interactive :** Touch / Non Touch (Optional)
- Contrast Ratio :** 1000:1 | 5000:1
- Brightness :** 450 cd/m² | 500 cd/m²
- Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
- OS System :** Android
- Memory :** 2 GB | 4 GB (Optional)
- Capacity :** 16 GB | 64 GB (Optional)
- Connectivity :** WiFi, LAN, Bluetooth, 4G / 5G (Optional)
- I/O Ports :** USB, HDMI, LAN
- Audio :** Stereo Speakers
- Installation :** Indoor & Semi Outdoor
- Software :** Cloud management (WAN Version), Standalone (LAN Version), Multi-Split Screen Display

Post Signage (Semi-outdoor)

Model No: CIA-550NT-FMMH

Available Screen Size (Inches) : 43 | 55 | 65

Application Sectors : Retail | Healthcare | Educational Institutions
Hotels & Restaurants | Roof Top | Lobby Area | Entertainment Zone
Corporate | Shopping Malls | Reception Area | Lounge Area

Single Side Hanging Glass Display (Indoor)

Model No: CIA-431NT-CMGH

Available Screen Size (Inches) : 32 | 43 | 55

Application Sectors : Retail | Healthcare | Hotels & Restaurants
Commercial Institutions | Government & Corporate Houses
Shopping Malls | Reception Area

Floor Mount KIOSK SOLUTIONS



Double-Sided / Single-Sided Glass Kiosk

Model No: CIA-550NT-FMG/DS/S

Available Screen Size (Inches) : 43 | 55



Self-Service-Kiosk

Model No: CIA-215T-FMSKPM

Available Screen Size (Inches) : 17.5 | 21.5 | 24



Outdoor Digital Kiosk

Model No: CIA-550NT-FMOM

Available Screen Size (Inches) : 55 | 65

Table Top

ANDROID DISPLAY

Featured with

- Size :** 10.1 & 13.3
- Resolution :** 1920 x 1080
- View Angle :** 178°
- Interactive :** 10 Point Capacitive Touch (Optional)
- Contrast Ratio :** 800:1
- Brightness :** 250 cd/m²
- Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
- OS System :** Android 10 and above
- Memory :** 2 GB | 4 GB (Optional)
- Capacity :** 32 GB | 64 GB (Optional)
- Camera :** 2MP (Optional)
- Connectivity :** WiFi, LAN, Bluetooth
- I/O Ports :** USB
- Audio :** 2 x 2 W Stereo Speaker
- Installation :** Table top (Portrait & Landscape)
- Software :** Cloud management (WAN Version), Multi-Split Screen Display, USB Solution



Model No: CIA-101NT-TTGP



Model No: CIA-133NT-TTMP

Available Screen Size (Inches) : 10.1 | 13.3


Application Sectors : Retail | Healthcare | Hotels & Restaurants
Commercial Institutions | Government & Corporate Houses
Shopping Malls | Reception Area

Wall Mount

ANDROID DISPLAY



Model No: CIA-320T-NT-WMM



Featured with

- Panel type :** IPS
- Resolution :** 1920 x 1080 (FHD) | 3840 x 2160 (4K)
- View Angle :** 178°
- Interactive :** Non Touch | Capacitive Touch (Optional)
- Contrast Ratio :** 1000:1 | 5000:1
- Brightness :** 400 cd/m² | 450 cd/m²
- Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
- OS System :** Android 11.0 and above
- Memory :** 2 GB | 4 GB (Optional)
- Capacity :** 32 GB | 64 GB (Optional)
- Connectivity :** WiFi, LAN, Bluetooth, 4G
- I/O Ports :** USB, SD card Slot, **HDMI OUT**, **HDMI IN** (Optional)
- Audio :** 2 x 3 W Stereo Speakers
- Installation :** Indoor, Wall-Mounted, Horizontal & Vertical
- Software :** Cloud management (WAN Version), Standalone (LAN Version), USB Solution, Multi-Split Screen Display

Customizable Functions

Gravity Sensor, GPS, Camera, Motion Sensor, RFID, QR Scanner

Available Screen Size (Inches) : 21.5 | 24 | 27 | 32 | 43 | 55 | 65

Application Sectors : Retail | Healthcare | Hotels & Restaurants
Commercial Institutions | Government & Corporate Houses
Shopping Malls | Reception Area


Bar-Type & Wall Mount ANDROID DISPLAY

Featured with

- Panel type :** IPS
- Resolution :** 1920 x 360 | 1920 x 540
- View Angle :** 178°
- Interactive :** Non Touch
- Contrast Ratio :** 1200:1 | 4000:1
- Brightness :** 700 cd/m²
- Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
- OS System :** Android 11.0 and above
- Memory :** 2 GB | 4 GB (Optional)
- Capacity :** 32 GB | 64 GB (Optional)
- Connectivity :** WiFi, LAN, Bluetooth, 4G (Optional)
- I/O Ports :** USB, SD card Slot, 3.5 mm Audio OUT | HDMI | LAN
- Installation :** Indoor & Semi Outdoor
- Software :** Cloud management (WAN Version), Multi-Split Screen Display, LAN version



Model No: CIA-371NT-SBM



Available Screen Size (Inches) : 28.6 | 37

Application Sectors : Transport Terminals | Exhibition Centre
Museums | Gallery | Government & Corporate House
Parking Area | Sports Complex | Subway

Premium Glass Signage DISPLAY SOLUTIONS



Glass Digital Photo Frame (Indoor)
Model No: CIA-550T-NT-GPM
Available Screen Size (Inches) :
21.5 | 24 | 32 | 43 | 55



Wooden Digital Photo Frame (Indoor)
Model No: CIA-550T-NT-WPM
Available Screen Size (Inches) :
21.5 | 24 | 32 | 43 | 55

Featured with


- Panel type :** IPS
- Resolution :** 1920 x 1080 (FHD) | 3840 x 2160 (4K)
- View Angle :** 178°
- Interactive :** Non Touch | Capacitive Touch (Optional)
- Contrast Ratio :** 1000:1 | 5000:1
- Brightness :** 450 cd/m² | 500 cd/m²
- Video :** Support all Video format
- Photo :** Support all Photo format
- OS System :** Android 11.0 and above
- Memory :** 2 GB | 4 GB (Optional)
- Capacity :** 32 GB | 64 GB (Optional)
- Connectivity :** WiFi, LAN, Bluetooth, 4G (Optional)
- I/O Ports :** USB, SD card Slot, HDMI
- Audio :** Stereo Speaker (Optional)
- Special Feature :** Tempered Glass Protection (Optional)
- Installation :** Indoor, Wall-Mounted, Hanging-Mount
- Software :** Cloud management (WAN Version), Standalone (LAN Version), USB Solution

Application Sectors : Reception Area | Gallery | Museums
Lounge Area | Corporate Lobby | Cafeteria | Showrooms
Multiplexes

Indoor LED LED WALL




PIXEL PITCH (MM) INDOOR	1.5	2	2.5	3
Module Size (mm)	320 x 160	320 x 160	320 x 160	320 x 160
LED Brightness (nits)	800 - 1000	1000 - 1200	1000 - 1500	700 - 900
Cabinets Size (mm)	640 x 480	640 x 640	640 x 640	640 x 640
Refresh Rate (Hz)	3840	3840	1920 / 3840	1920 / 3840
Best Viewing Range (mtr)	>1	>2	>2.5	>3
Average Power Consumption	<360 w/m ²	<550 w/m ²	<550 w/m ²	<450 w/m ²



Application Sectors : Corporate Lounge | Exhibition Centre
Museums | Gallery | Transport Terminals | Food Court
Shopping Complex | Government Departments | Hospitals
Educational Institutions

Outdoor LED LED WALL

PIXEL PITCH (MM) OUTDOOR	2.5	3	4	6
Module Size (mm)	320 x 160	320 x 160	320 x 160	192 x 192
LED Brightness (nits)	2500 - 3000	2500 - 3500	3500 - 4500	4500 - 5500
Cabinets Size (mm)	640 x 640	576 x 576	640 x 640	576 x 576
Refresh Rate (Hz)	3840	3840	1920 / 3840	1920 / 3840
Best Viewing Range (mtr)	>2	>2.5	>3.5	>6
Outdoor Protection	IP65	IP65	IP65	IP65



Application Sectors : Vehicle LED | Corporate Lounge
Exhibition Centre | Museums | Gallery | Transport Terminals
Shopping Complex | Food Court | Government Departments
Educational Institutions | Hospitals

Curved LED LED WALL



Transparent LED WALL



Rental LED WALL



Interactive KIOSK SOLUTIONS



Featured with


- Panel type :** IPS Panel | Industrial Panel (Optional)
- OS :** Android 11.0 and above | Windows (Optional)
- Resolution :** 1920 x 1080
- View Angle :** 178°
- Interactive :** Capacitive Touch | IR Touch (Optional)
- Contrast Ratio :** 1000:1 | 1200:1
- Brightness :** 300 - 350 cd/m²
- Printer :** 85 col. auto cutter Thermal Printer (Optional)
- Scanner :** QR Code / Finger Print Scanner (Optional)
- I/O Ports :** USB, LAN, HDMI, WiFi
- Audio :** Stereo Speaker, 3.5mm Audio out
- Installation :** Indoor-Floor mounted

Application Sectors : Healthcare | Educational Institutions
Hotels & Restaurants | Financial Institutions Entertainment Zone
Corporate Area | Shopping Malls | Reception and Lounge Area


Available Screen Size (Inches) : 17.5 | 21.5 | 24

Model No: CIA-238T-FMSKPM
Model No: CIA-215T-FMSKPM
Model No: CIA-238T-FMSKPMW

LED Software TOPOLOGY



LCD Software TOPOLOGY



Our Clientele



Our Certification



... also available at

We are also available @

Delhi | Varanasi | Maldah | Durgapur
Bankura | Bhubaneswar | Siliguri

Follow us on @PremiumGlasssignage

For further correspondence # +91 97761 98155 +91 94330 01288 | mail@capitalinfoart.com
 Kolkata Corporate Office: 11/B, & 10, Chowringhee Terrace, Gokhale Road, Kolkata - 700 020 | INDIA
 Experience Centre: **Crystal Studio**, 29/1A, Ramkrishna Samadi Road, Phoolbagan, Kolkata - 700 054, # 82408 36857
 Central Workshop: 51A, Rashbehari Avenue, Kolkata - 700 026 | INDIA
 Bankura Experience Centre: **Galaxy**, Rampur Chhotokalitala, Bankura 722101, WB, # 77970 14041
 Maldah Experience Centre: **Kixi Media**, Jyoti Complex, Rabindra Avenue, Malda 732101, WB, # 94341 54440
 Durgapur Experience Centre: **EBN Edward Technology Pvt Ltd**, EBN Tower, 12C/24, Sepco Township, Durgapur 713205, WB, # 95936 00422
 Odisha Office & Exp. Centre: **Capital Infoart**, SB-004, Grand Bazaar, Cuttack - Bhubaneswar Road, Phulnakhara, Odisha 754001, # 93337 94141
 U.P Office: **Sarkar & Company**, N-11/60 B-24 Sree Krishna Nagar Colony, Mahamoorganj, Varanasi, U.P 221010, # 94152 27144
 Delhi NCR Office: **Capital Infoart**, 207, 2nd Floor Cloud 09 Tower, Vaishali, Sector 01, Ghaziabad, U.P 201010, # 91610 06555