



Creative Digital Signage Solution



Enjoy seamless Cloud Network for every single device with FREE Content Management Software

Floor Mount Digital Display | Wall Mount Digital Display | Table Top Android Display | Interactive Kiosk | Bar-Type Display | Decorative Display | Touch Panels Double Side Android Glass Kiosk | LED Wall | LCD & LED Controller | Industrial PC Cloud Management Applications | Customised App Development | IoT Applications

capitalinfoart®
www.capitalsignage.com

Floor Mount Touch KIOSK SOLUTIONS



Model No: **321T-FMW**
21.5 | 24 | 32
inch | inch | inch



Model No: **238T-FMSKPM**
21.5 | 24
inch | inch



Model No: **175T-FMM**
13.3 | 17.5 | 21.5
inch | inch | inch



Model No: **431T-FMK**
24 | 27 | 32 | 43
inch | inch | inch | inch



Model No: **321T-FML**
24 | 27 | 32 | 43
inch | inch | inch | inch



Model No: **270T-FML**
24 | 27 | 32 | 43
inch | inch | inch | inch

Floor Mount KIOSK SOLUTIONS

Featured with

- Panel type :** IPS
- Resolution :** 1920 x 1080 (FHD) | 3840 x 2160 (4K) / 8K (Optional)
- View Angle :** 178°
- Interactive :** Touch / Non Touch (Optional)
- Contrast Ratio :** 1000:1 | 5000:1
- Brightness :** 450 cd/m² | 500 cd/m² | 700 cd/m² (Optional)
- Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
- OS System :** Android
- Memory :** 2 GB | 4 GB | 8 GB (Optional)
- Capacity :** 32 GB | 64 GB | 128 GB (Optional)
- Connectivity :** WiFi, LAN, Bluetooth, 4G / 5G (Optional)
- I/O Ports :** USB, SD card Slot, HDMI OUT, HDMI IN (Optional)
- Audio :** Stereo Speakers
- Installation :** Indoor
- Software :** Cloud management (WAN Version), Standalone (LAN Version), USB Solution, Multi-Split Screen Display



Model No: **550NT-TFM-E**



Model No: **431NT-TFM-P**



Model No: **431NT-AFM-P**



Model No: **431NT-AFM-E**

Available Screen Size ECO/PRO (Inches) :
43 | 55 | 65

Available Screen Size ECO/PRO (Inches) :
32 | 43

Application Sectors : Retail | Healthcare | Educational Institutions
Hotels & Restaurants | Financial Institutions | Entertainment Zone
Corporate Area | Shopping Malls | Reception Area | Lounge Area



Capacitive Touch



Digital Audio



Terminal Management



Windows



Android



WiFi



Bluetooth



LAN



IPS Panel



T-Type ECO



T-Type PRO



A-Type PRO



A-Type ECO

Hanging & Glass Mount DISPLAY SOLUTIONS



- Featured with**
- Panel type :** IPS
 - Resolution :** 1920 x 1080 (FHD) | 3840 x 2160 (4K)
 - View Angle :** 178°
 - Interactive :** Non Touch / Touch (Optional)
 - Contrast Ratio :** 1000:1 | 5000:1
 - Brightness :** 2500 cd/m² - 3500 cd/m² | 700 cd/m² (Indoor)
 - Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
 - OS System :** Android
 - Memory :** 4 GB | 8 GB (Optional)
 - Capacity :** 64 GB | 128 GB (Optional)
 - Connectivity :** WiFi, LAN, Bluetooth, 4G / 5G (Optional)
 - I/O Ports :** USB, HDMI, LAN
 - Audio :** Stereo Speakers
 - Installation :** Indoor & Semi Outdoor
 - Software :** Cloud management (WAN Version), Standalone (LAN Version), Multi-Split Screen Display



Post Signage & Wall Mount (Outdoor & Semi Outdoor)
Model No: 550NT-PMO Model No: 550NT-WMO



Available Screen Size (Inches) : 43 | 55 | 65

Application Sectors : Retail | Healthcare | Educational Institutions
Hotels & Restaurants | Roof Top | Lobby Area | Entertainment Zone
Corporate | Shopping Malls | Reception Area | Lounge Area

Single Side Hanging Glass Display (Indoor)
Model No: 431NT-GPMH



Available Screen Size (Inches) : 21 | 24 | 32 | 43 | 55

Application Sectors : Retail | Healthcare | Hotels & Restaurants
Commercial Institutions | Government & Corporate Houses
Shopping Malls | Reception Area

Floor Mount KIOSK SOLUTIONS



Double-Sided / Single-Sided Glass Kiosk
Model No: 550NT-FMG

Available Screen Size (Inches) : 43 | 55 | 65



Self-Service-Kiosk with printer
Model No: 238T-FMSKPMW

Available Screen Size (Inches) : 21.5 | 24



Outdoor Digital Kiosk
Model No: 550NT-FMO

Available Screen Size (Inches) : 43 | 55 | 65



Scan QR Code for more details

For more details please visit us at : www.digitaldisplay.in

Table Top

ANDROID DISPLAY

Featured with

- Size :** 10.1 & 13.3
- Resolution :** 1920 x 1080
- View Angle :** 178°
- Interactive :** 10 Point Capacitive Touch (Optional)
- Contrast Ratio :** 800:1
- Brightness :** 250 cd/m²
- Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
- OS System :** Android
- Memory :** 2 GB | 4 GB (Optional)
- Capacity :** 32 GB
- Camera :** 2MP (Optional)
- Connectivity :** WiFi, LAN, Bluetooth
- I/O Ports :** USB
- Audio :** 2 x 2 W Stereo Speaker
- Installation :** Table top (Portrait & Landscape)
- Software :** Cloud management (WAN Version), Multi-Split Screen Display, USB Solution



Model No: 101NT-GTP

Model No: 133T-GTL



Available Screen Size (Inches) : 10.1 | 13.3

Application Sectors : Retail | Healthcare | Hotels & Restaurants
Commercial Institutions | Government & Corporate Houses
Shopping Malls | Reception Area

Wall Mount

ANDROID DISPLAY




Model No: 321NT-WMM-P

Model No: 321NT-WMM-E

Available Screen Size PRO (Inches) :
21.5 | 24 | 32 | 43 | 55 | 65

Available Screen Size ECO (Inches) :
32 | 43 | 55



Featured with

- Panel type :** IPS
- Resolution :** 1920 x 1080 (FHD) | 3840 x 2160 (4K)
- View Angle :** 178°
- Interactive :** Non Touch | Capacitive Touch (Optional)
- Contrast Ratio :** 1000:1 | 5000:1
- Brightness :** 400 cd/m² | 500 cd/m² | 700 cd/m² (Optional)
- Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
- OS System :** Android
- Memory :** 2 GB | 4 GB | 8 GB (Optional)
- Capacity :** 32 GB | 64 GB | 128 GB (Optional)
- Connectivity :** WiFi, LAN, Bluetooth, 4G (Optional)
- I/O Ports :** USB, SD card Slot, **HDMI OUT**, HDMI IN (Optional)
- Audio :** 2 x 3 W Stereo Speakers | 3.5mm audio out
- Installation :** Indoor, Wall-Mounted, Horizontal & Vertical
- Software :** Cloud management (WAN Version), Standalone (LAN Version), USB Solution, Multi-Split Screen Display

Customizable Functions

Gravity Sensor, GPS, Camera, Motion Sensor, RFID, QR Scanner

Application Sectors : Retail | Healthcare | Hotels & Restaurants
Commercial Institutions | Government & Corporate Houses
Shopping Malls | Reception Area



Wall Mount PRO



Wall Mount ECO

For more details please visit us at : www.capitalsignage.com

Scan QR Code for more details

Bar-Type & Wall Mount ANDROID DISPLAY

Featured with


- Panel type :** IPS
- Resolution :** 1920 x 360 | 1920 x 540
- View Angle :** 178°
- Interactive :** Non Touch
- Contrast Ratio :** 1200:1 | 4000:1
- Brightness :** 700 cd/m²
- Video Format :** WMV, AVI, FLV, MPEG, Mp4, H.264
- OS System :** Android
- Memory :** 2 GB | 4 GB (Optional)
- Capacity :** 32 GB | 64 GB (Optional)
- Connectivity :** WIFI, LAN, Bluetooth, 4G (Optional)
- I/O Ports :** USB, SD card Slot, 3.5 mm Audio OUT | HDMI | LAN
- Installation :** Indoor & Semi Outdoor
- Software :** Cloud management (WAN Version), Multi-Split Screen Display, LAN version



Model No: 286NT-SBG



Model No: 371NT-SBM



Series Available : Glass | Metal

Available Screen Size (Inches) : 28.6 | 37

Application Sectors : Transport Terminals | Exhibition Centre
Museums | Gallery | Government & Corporate House
Parking Area | Sports Complex | Subway

Premium Glass Signage DISPLAY SOLUTIONS



Glass Digital Photo Frame (Indoor)
Model No: 550NT-GPM

Available Screen Size (Inches) :
21.5 | 24 | 32 | 43 | 55



Scan QR Code for more details



Wooden Digital Photo Frame (Indoor)
Model No: 431NT-WPM

Available Screen Size (Inches) :
24 | 32 | 43 | 55



Featured with

- Panel type :** IPS
- Resolution :** 1920 x 1080 (FHD) | 3840 x 2160 (4K)
- View Angle :** 178°
- Interactive :** Non Touch | Capacitive Touch (Optional)
- Contrast Ratio :** 1000:1 | 5000:1
- Brightness :** 450 cd/m² | 500 cd/m² | 700 cd/m² (Optional)
- Video :** Support all Video format
- Photo :** Support all Photo format
- OS System :** Android
- Memory :** 2 GB | 4 GB | 8 GB (Optional)
- Capacity :** 32 GB | 64 GB | 128 GB (Optional)
- Connectivity :** WIFI, LAN, Bluetooth, 4G (Optional)
- I/O Ports :** USB, SD card Slot, HDMI
- Audio :** Stereo Speaker | 3.5mm audio out
- Special Feature :** Tempered Glass Protection (Optional)
- Installation :** Indoor, Wall-Mounted, Hanging-Mount
- Software :** Cloud management (WAN Version), Standalone (LAN Version), USB Solution


Application Sectors : Reception Area | Gallery | Museums
Lounge Area | Corporate Lobby | Cafeteria | Showrooms
Multiplexes

For more details please visit us at : www.digitaldisplay.in

Indoor LED LED WALL




PIXEL PITCH (MM) INDOOR	1.5	1.8	2.5	3
Module Size (mm)	320 x 160	320 x 160	320 x 160	320 x 160
LED Brightness (nits)	800	800	1000	1500
Cabinets Size (mm)	640 x 480	640 x 640	640 x 640	640 x 640
Refresh Rate (Hz)	3840 / 7680	3840 / 7680	3840	3840
Best Viewing Range (mtr)	>1	>2	>2.5	>3
Average Power Consumption	<360 w/m ²	<550 w/m ²	<550 w/m ²	<450 w/m ²



Application Sectors : Corporate Lounge | Exhibition Centre
Museums | Gallery | Transport Terminals | Food Court
Shopping Complex | Government Departments | Hospitals
Educational Institutions

Outdoor LED LED WALL

PIXEL PITCH (MM) OUTDOOR	2.5	3	4	6
Module Size (mm)	320 x 160	320 x 160	320 x 160	192 x 192
LED Brightness (nits)	3000	3500	5000 / 6000	5000 / 6000
Cabinets Size (mm)	640 x 640	576 x 576	640 x 640	576 x 576
Refresh Rate (Hz)	3840	3840	1920 / 3840	1920 / 3840
Best Viewing Range (mtr)	>2	>2.5	>3.5	>6
Outdoor Protection	IP65	IP65	IP65	IP65



Application Sectors : Vehicle LED | Corporate Lounge
Exhibition Centre | Museums | Gallery | Transport Terminals
Shopping Complex | Food Court | Government Departments
Educational Institutions | Hospitals

Curved LED LED WALL



Transparent LED WALL



Rental LED WALL



Interactive Windows KIOSK SOLUTIONS



Featured with


- Panel type :** IPS Panel | Industrial Panel (Optional)
- OS :** Windows | Android (Optional)
- Resolution :** 1920 x 1080
- View Angle :** 178°
- Interactive :** Capacitive Touch | IR Touch (Optional)
- Contrast Ratio :** 1000:1 | 1200:1
- Brightness :** 300 - 350 cd/m²
- Printer :** 85mm, auto cutter Thermal Printer (Optional)
- Scanner :** QR Code / Finger Print Scanner (Optional)
- I/O Ports :** USB, LAN, WiFi (HDMI Optional)
- Audio :** Stereo Speaker, 3.5mm Audio out
- Installation :** Indoor-Floor mounted

Application Sectors : Healthcare | Educational Institutions
Hotels & Restaurants | Financial Institutions Entertainment Zone
Corporate Area | Shopping Malls | Reception and Lounge Area


Available Screen Size (Inches) : 21.5 | 24

Model No: 238T-FMSKPMW

LED Software TOPOLOGY



LCD Software TOPOLOGY



Scan QR Code for more details

For more details please visit us at : www.digitaldisplay.in

Our Clientele



Our Certification



... also available at

For further correspondence,
 # +91 94330 01288 | +91 97761 98155
 # +91 90077 73730 | +91 89812 42172
 www.capitalsignage.com
 mail@capitalinfoart.com

Kolkata Corporate Office : 11/B, Chowringhee Terrace, Gokhale Road, Kolkata - 700 020 | INDIA
 Kolkata Experience Centre : 10, Chowringhee Terrace, Gokhale Road, Kolkata - 700 020 | INDIA
 Kolkata Central Workshop : BF 40, Shanti Pally, Rajdanga, Kolkata - 700 107 | INDIA
 (Content Development & AV Studio) **Studio Spandan** : 51A, Rashbehari Avenue, Kolkata - 700 026, # 98744 44360
 Odisha Office : **Capital Infoart**, SB-004, Grand Bazaar, Cuttack - Bhubaneswar Road, Phulnakhara, Odisha 754001, # 78945 11288

ASSOCIATES & CHANNEL PARTNERS

We are also available @
Assam | New Delhi | Odisha | Meghalaya
UP | Maharashtra | West Bengal

Kolkata - Saltlake Metropolitan | Crystal Studio, 29/1A, Ramkrishna Samadhi Road, Phoolbagan, Kolkata - 700 054, # 82408 36857
Maldah | Kixi Media, Jyoti Complex, Rabindra Avenue, Maldah 732101, WB, # 94341 54440
New Delhi | Satyam Visual Display, 2989/90, Gali No 2, Chuna Mandi, Paharganj, New Delhi - 110055 # 98180 86037
UP (Varanasi) | Sarkar & Company, N-11/60 B-24 Sree Krishna Nagar Colony, Mahamoorganj, Varanasi, U.P 221010, # 94152 27144
Assam (Guwahati) | Advise Bharat, H. No. 539, Lokhra Main Road, Jyotikuchi, Guwahati 781034 # 70022 70484 | 99544 00344
Meghalaya (Shillong) | A N Enterprise, Industrial Estate, Lumjingshai, Shillong 793008, India # 93669 51268

Follow us on
 @Capitalsignage