

FLOOR MOUNT **INTERACTIVE** ANDROID KIOSK

capital**infoart**®

Enjoy seamless **Cloud Network**
for every single device with **FREE**
Content Management Software



Key Features

- Open **Android 11** and above
- **Third Party** Apk support
- Content Management System by **LAN | Cloud**
- **U-Disk/USB** Playback System
- Built-in **Audio**
- Built-in **Bluetooth | Wi-Fi**
- 10 points **Capacitive Touch**
- Support Vertical / Horizontal **split screen**
- **4K** open cell panel with **500 nits** brightness

Application Area

Healthcare | Educational Institutions | Galleria
Hotels & Restaurants | Financial Institutions
Entertainment Zone | Corporate Area
Shopping Malls | Reception and Lounge Area

V33

Sizes Available

24 | 32 | 43 | 55

www.capitalsignage.com

Display Panel Specifications

Features & Model No.	238T-FML	321T-FML	431T-FML
Panel Size	24 inch	32 inch	43 inch
Panel Type	IPS	IPS	IPS
Resolution	1080 x 1920	1080 x 1920	1080 x 1920 / 2160 x 3840
Contrast Ratio	1200 : 1	1200 : 1	1200 : 1
Viewing Angle	178°	178°	178°
Luminance	300 nits	400 nits	500 nits
Aspect Ratio	16 : 9 9 : 16	16 : 9 9 : 16	16 : 9 9 : 16
Display colors	16.7 M (8 bits - true) colors	16.7 M (8 bits - true) colors	16.7 M (8 bits - true) colors
Display mode	Transmission mode, Normally Black	Transmission mode, Normally Black	Transmission mode, Normally Black
Active area (W x H) (mm)	336.1 x 597.6	392.8 x 698.4	529.25 x 940.89
Operating Temperature	0 °C - +50 °C	0 °C - +50 °C	0 °C - +50 °C
Storage Temperature	-20 °C - +60 °C	-20 °C - +60 °C	-20 °C - +60 °C
Operating Ambient Humidity	10%RH - 80%RH	10%RH - 80%RH	10%RH - 80%RH
Storage Humidity	10%RH - 80%RH	10%RH - 80%RH	10%RH - 80%RH

Electrical & Physical Specifications

Electrical & Physical specification			27"	32"	43"
Input Power Supply	220 V - 240 V 1 Ph. 50 Hz	Dimensions (W x D x H)	355 x 42 x 912 (mm)	449.7 x 42 x 750.4 (mm)	532.14 x 55 x 995.2 (mm)
Operating Voltage	12 V DC	Base (W x D x H)	450 x 450 x 870 (mm)	400 x 400 x 1000 (mm)	420 x 420 x 1000 (mm)
Standby	0.5 W	Gross Weight	14 kg	15 kg	16 kg
		Cabinet Material	MS	MS	MS

Hardware Specifications

CPU & Chipset	Quad core 1.8 Ghz Octa core 2.2 Ghz & above 64 bit high performance CPU
GPU	Mail-G55/T864/T764 (Optional) high performance GPU
Memory	Default 2 GB 4 GB 8 GB (Optional)
Built-in storage capacity	Default 32 GB 64 GB 128 GB (Optional)
Network	Adaptive 10/100 mbps 100/1000 mbps Ethernet
Wifi	Supports 2.4G / 5G, Wi-Fi, support Wi-Fi 802.11b/g/n protocols
Image rotation	Supports manual rotation of 0 degree, 90 degree, 180 degree, 270 degree
Display	TFT LCD Professional Signage Panel (Industrial Grade) 16.7M colours 8-bit colour depth 178 degree viewing angle 16 x 7 24 x 7 (Optional) operation support Ultra slim metal body
HDMI	HDMI (Out) / HDMI (In) optional
Audio	5W 12W x 2 speakers 3.5 mm audio out
Power amplifier	2 outputs (8 ohms, 10 watts dual audio amplifier output)
Microphone	Differential MIC input
Touch screen	Supports multi-point capacitive touch.
RCT	Built-in real-time clock function
USB	2 x USB (USB 3.0)
Infrared	Supports infrared remote control function
LED	1 x power status LED, 1 x system LED (Blinking in default)
Bluetooth	Supports 4.2 & above
I/O	Supports 5 IO input and output control, can be used as key scanning control
Serial port	30 pin FPC interface, Largest support 1300 w Camera
Power Adapter	Input : AC 100-240 V 50-60 HZ, Output : DC 12 V 1.5 A (Requires surge voltage less than 18 V and ripple voltage less than 100 mV)
Optional hardware	Camera, Sensor, QR Scanner, Printer etc.

FLOOR MOUNT INTERACTIVE SERVICE KIOSK Specification

Software specifications

Operating system	Android 11 and above
Audio	Mp3, WMA, WAV, APE, FLAC, AAC, OGG, M4A, 3GPP and other formats
Video	Supports AVI, rm, rmvb, MKV, WMV, MOV, MP4, DAT, PMP, MPEG, MPG, FLV, ASF, TS, TP, 3GP, MPG and other formats
Image	Supports various image formats such as JPG, BMP, PNG
System comes with application software	APK Installer, Email, Calculator, Browser, Recorder, Calendar, Settings, Clock, Video Player, Search, Contacts, Gallery, Download, Camera, Music, Explorer, etc.
Language	English / Hindi / Bengali (Support Multi-Language)
Input method	Standard Android Keyboard with optional third-party input method
System Management	Original ecological Android system, open root permissions, and can customize product development Real-time remote monitoring, system crash self-recovery, unattended 16 x 7 hours (24 x 7 Optional) Supports OTA remote upgrade; supports U disk upgrade Supports server / stand-alone mode switching Supports WI-Fi hotspot
System watchdog	Supports software watchdog

Available sizes 24 | 32 | 43 | 55 inch

Other Floor Mount Standee



Associates & Channel Partners

Assam | New Delhi | Odisha | Meghalaya
UP | Maharashtra | KarnatakaFollow us on    **Corporate Office** : 11/B, Chowringhee Terrace, Gokhale Road, Kolkata - 700 020 | West Bengal # +91 90077 73730**Experience Centre** : 10, Chowringhee Terrace, Gokhale Road, Kolkata - 700 020 | West Bengal # +91 89812 42172**Central Workshop** : BF 40, Shanti Pally, Rajdanga, Kolkata - 700 107 | West Bengal # +91 97761 98155**Digital Media & AV Studio** | Studio Spandan : 51A, Rashbehari Avenue, Kolkata - 700 026, | West Bengal # +91 94330 01288**Odisha Office** : SB-004, Grand Bazaar, Cuttack - Bhubaneswar Road, Phulnakhara, Cuttack - 754001 | Odisha # +91 78945 11288www.capitalsignage.com | mail@capitalinfoart.com

Location & Correspondence